

ODYSSEYXLT



CONSTRUCTION



FEATURES


- High quality Freightliner M2 106 Conventional Chassis
- Aerodynamic automotive styling
- Elite contoured bonded seamless solid windows
- Up to 50 passenger capacity *
- Wide interior with double row luxury seating
- ♦ Steel roll cage with full perimeter steel floor
- 11-gauge cross member assembly
- Flexible floor plans including wheel chair capability
- Meets and exceeds FMVSS regulations
- ♦ CDL required
- ♦ 5-year/100,000-mile structural warranty
- 4-year/50,000-mile bumper-to-bumper warranty excluding add-on components

- Strongest floor in the industry starts with G-channel cross members that stretch from wall to wall
- Full perimeter frame completes floor to stand up to years of performance.
- Center aisle stiffeners consisting of reverse cap steel
 C-channel prevent aisle sagging after years of operation
- Seat tracks mounted on reverse cap steel C-channels have been tested and certified to exceed DOT Standards
- O Steel comer window gussets add perimeter sidewall strength
- Fully-primed roll cage is painted before construction begins
- Huber Industrial Panel® floor is secured with adhesive and mechanical fasteners for no squeaks or movement
- O Sidewalls and ceiling insulated by closed-cell stiff foam board

SPECIFICATIONS

	Odyssey XLT	Freightliner
0	Wheel Base/Floor Length	272"-344" / 330"-420"
0	GVWR	33,000
0	Exterior Height	11'1"
0	Exterior Width	8'6"
0	Interior Height	6'7 1/2"
0	Interior Width	8'1 3/4"
0	Door Width	29",36",42"
0	Ground to 1st Step	12"
0	Overall Length	Up to 45'

FLOOR PLANS







67819 State Road 15 New Paris, IN 46553 800.296.2105 574.831.4349 (fax) www.turtletop.com



Distributor

^{*} Some floor plans include wheelchair/luggage areas that reduce the number of seats.